This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.




FIG. 1




FIG. 2








FIG. 3












FIG. 7a




FIG. 7b





FIG. 8a

981 - 92 108

F/G. 9a



196 1001 106 -94

FIG. 9b




FIG. 11b





FIG. 11c






FIG. 12a




FIG. 13a




FIG. 12b




FIG. 13b




FIG. 12c




FIG. 13c




FIG. 12d




FIG. 13d




FIG. 12e









FIG. 13e















My Might results for peaker of the property of	
--	--

Alternate Method of using Silck Line Plug Shear-out Ball Seat 286 Profile & Seal Surface f/Silok Line Plug-Shear-out Boll Seat なられ SI 248 1965 #少上 FISHING MOCK 506431b स्ट




:


.

•

T/C#336




206 38 202 26. THE SAN 1016/10% 300 , A-A, Mi




F16#34a F16#358


F16#346	E/F#356

أمرر



1.





F/0#35/

.